Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	577	maximize same close same window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:21
L2	5	I1 and whiteboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:13
L3	1806	computer with gestures	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:16
.L4	46	freeform with strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/02/12 14:16
L5	0	I1 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:16
L6	18	I1 and I3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:16
L7	1	I1 same stroke	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:21
S1	5	"671953".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2007/02/12 07:51

					r	
S2	2	"6459442".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 08:07
S4	6	("5404439"   "5553224"   "5583946"   "5861886"   "5880743"   "6377288").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/10 15:49
S5	0	(drawing adj surface) same global same local same object	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/10 15:49
S6	22	(drawing adj surface) same interface same display	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/10 15:50
S7	97	("20040027381" "20040060000" "20040056875" "5544317" "5886707" "6222558" "6222558" "5656907" "5697829" "5724074" "5041992" "5652863" "20030128232" "20040034801" "6470496" "4958272" "4967372" "5517604" "5696918" "6181342" "4540176" "5471568" "5760771" "5805725" "5844556" "6121966" "4979224" "4996598" "5317680" "5386508" "5416897" "5453935" "5566300" "5613054" "5613053" "6037951" "6236753" "5583560" "5321603" "5459829" "5594509" "5621456" "5517578" "6834253" "5420607" "5524200" "5646650" "5897644" "5905498" "20030169295" ).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 06:30
S8	2	"5404439".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 06:31
S9	2	"5553224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 06:32

S10	5	"583946".pn.	US-PGPUB;	OR	ON	2007/02/12 06:32
		·	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S11	2	"5583946".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 06:32
S12	2	"5861886".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:15
S13	. 2	"5880743".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 06:33
S14		"6377288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 06:42
S15	2	"6525749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/12 07:08
S16		nbor.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/12 07:09
S18	178	(universal same graphic same tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:13

S19	12971	single same operating same environment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/02/12 07:13
S20	314	clustered same computer same environment	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/02/12 07:13
S21	1769	single with operating with environment	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:25
S22	4	S18 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:16
S23	2260	intuitive same tools	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:14
S24	30	S18 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:14
S25	1187013	drawing same surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ~	2007/02/12 07:15
S26	. 274045	drawing with surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/02/12 07:24

				T		1
S27	178	S18 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON :	2007/02/12 07:17
S28	70	S26 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:21
S29	149	S27 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:17
S31	1387	S26 and (graphic same element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2007/02/12 07:27
S32 <sub>.</sub>	1	S21 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:26
S33	1	S21 and (graphic same element) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:28
S34	161	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/12 07:28
S35	6	S19 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:28

S36	356	715/863.ccls.	US-PGPUB; USPAT;	OR	ON	2007/02/12 07:29
			USOCR; EPO; JPO; DERWENT; IBM_TDB	. 4		
S37	1288	715/764.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:29
S38	18	S37 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:29
S39	37	((graphical adj user adj interface) GUI) same (universal with tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 08:03
S40	84	(Smart adj technologies).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/12 08:11
S41	40	Blackboard.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/12 08:11
S42	230	hide with portion with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/12 09:48
S43		S42 and crop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 09:40

S44	2	S42 and crop\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/02/12 09:41
S46	52146	crop\$4.ab.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 09:42
S47	0	crop\$4.ab. and (drawing adj surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 09:43
S48	332	(crop\$4 same display).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 09:43
S49	31	(crop\$4 same display same portion).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON .	2007/02/12 09:43
S50	177	crop\$4 with portion with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/12 09:54
S51	141	crop\$4 with portion with screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 09:56
S52	2	"6304271".pn.	US-PGPUB; USPAT; US@GR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:16

S53	14073	(mask\$3 hid\$3 cover\$3) same	US-PGPUB;	OR	ON	2007/02/12 11:17
		portions same display same (area region)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		·	
S54	14073	(mask\$3 hid\$3 cover\$3) same portion same display same (area region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:17
S55	4304	(mask\$3 hid\$3 cover\$3) with portion with display same (area region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:18
S56	3261	(mask\$3 hid\$3 cover\$3) with portion with display with (area region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:19
S57	3261	(mask\$3 hid\$3 cover\$3) with portion with display with (area region)S56 same selectively	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:20
S58	142	(mask\$3 hid\$3 cover\$3) with portion with display with (area region) same selectively	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:26
S60	26	("20020089516" "20020191861" " 20040245435" "20060192766" "5 377019" "5943679" "6816611" "6 906746" "6973222" "7084886" "7 133571").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:26

<u>Google</u>

Web Images Video News Maps more »

Blackspace user interface

Search

Advanced Search

#### Web

Results 1 - 10 of about 16,100 for Blackspace user interface. (0.06 seconds)

# Review: NBOR's Dyoun & Blackspace Interesting But Not Complete ...

Yesterday we reported on NBOR's Blackspace/Dyoun followed Assosiated ... Why User Interface Actions Occur on Release, Not on Press - Posted on 2006-12-18 ... www.osnews.com/story.php?news\_id=5687 - 27k -

Cached - Similar pages

OSNews.com

Review: NBOR's Dyoun & Blackspace Interesting But Not Complete - Posted on ... The Commercial Feasibility of a Next-Generation User Interface - Posted on ... www.osnews.com/topic.php?icon=47&offset=100&rows=50 - 29k - Cached - Similar pages

**Sponsored Links** 

**User Interface** Design

Professional UI Design since 1992 -Motorola, Intel, Sun, Autodesk, etc www.rocketcom.com

<u>User Interface Design</u> Innovative user interface designs and e-business solutions www.redwhale.com

eSchool News online - Breakthrough software could transform school ...
The software, called "No Boundaries Or Rules," or NBOR, includes an intuitive user interface for writing, drawing, compiling multimedia presentations, ...
www.eschoolnews.com/news/showstory.cfm?ArticleID=4853 - 29k - Cached - Similar pages

Graphic user interface and method for creating slide shows ...

A graphic user interface (GUI) and method for readily creating and ... [0178] When a user does anything graphically in Blackspace (on the computer screen) ...

www.freepatentsonline.com/20040027370.html - 86k - Cached - Similar pages

Intuitive graphic user interface with universal tools - Patent ...

A graphic user interface (GUI) and method for providing a computer operating environment ... In Blackspace, the user decides what is in or on a VDACC. ... www.freepatentsonline.com/20040027398.html - 222k - Cached - Similar pages

The Old Joel on Software Forum: Part 3 (of 5) - NBOR ...

Has anyone else here been awaiting the release of the NBOR/Blackspace player on January 15? ... includes an intuitive user interface for writing, drawing, ... discuss fogcreek.com/joelonsoftware3/default.asp?

cmd=show&ixPost=103478&ixReplies=43 - 26k - Cached - Similar pages

NBOR - What You Can Do in **Blackspace** That You Can't Do Anywhere Else Once you enter **Blackspace**, you stay there. The functionality of NBOR generally exists as messages talking to the NBOR GUI (Graphic **User Interface**) Engine. ... www.nbor.com/what A.htm - 100k - <u>Cached</u> - <u>Similar pages</u>

#### **ACM News Service**

"No Boundaries Or Rules" (NBOR), the product of 10 years' work by composer and musician Denny Jaeger, is software that boasts an intuitive **user interface** ... technews.acm.org/articles/2004-6/0112m.html - 46k - <u>Cached</u> - <u>Similar pages</u>

#### Text

Its emphasis is on modern graphical user interface support and an open ... Blackspace Blackspace is a program capable of parsing and editing text files. ... www.mnsi.net/~jhlavac/freeware/text.htm - 73k - Cached - Similar pages

Metro for creating and using linear time line and play rectangle ...

Methods and controls for playing media include a Blackspace Timeline (BTL), ... This means that the BTL and the PR have the same user interface for their ...

www.patentdebate.com/PATAPP/20040027371 - Similar pages